HARLEY-DAVIDSON OF ERIE





INTRODUCING the 2022


Sport Touring Models

Designed for power. Designed for performance. Introducing the new breed of speed from Harley-Davidson.



Street Glide * ST

Elevated bagger performance and style for the rider who just can't get enough. The Street Glide® ST pairs the muscular Milwaukee-Eight® 117 powertrain with West Coast styling and new bronze finishes.



Road Glide * ST

The Road Glide® ST projects more menace than ever and backs it up with the street-scorching power of the Milwaukee-Eight® 117 powertrain. West Coast styling and bronze accents set this bike apart from the performance bagger crowd.



Low Rider * ST

A sport-touring bike with a Softail® chassis and the V-Twin muscle of a Milwaukee-Eight® 117 powertrain, the Low Rider® ST is attitude on two wheels that only Harley-Davidson can supply.



INTRODUCING the 2022

Grand American Touring Lineup

The category we've created from the ground up. Go the distance, in style.



CVO [™] Road Glide [®]

The CVO™ Road Glide offers menacing style behind its distinctive dual LED headlamps, Road Glide fairing, and unrelenting Milwaukee-Eight 117 powertrain. Powerhouse audio, a 21-inch front wheel, custom paint and attention to detail completes this one-of-a-kind bike.

CVO ™ Road Glide ° Limited

Loaded with luxury and long-haul comfort, head-turning style and power that always satisfies. Premium audio, heated seats and grips, and the precise handling of the aerodynamic fairing make this motorcycle the ultimate Harley-Davidson Touring machine.



Road Glide * Limited

A masterful touring machine built to chase the horizon in style.

Road Glide * Special

A blacked-out or bright chrome bagger, loaded with premium features.



Road King * Special

A custom bagger with top-of-the-line power and a commanding presence.

Road King

A stripped-down highway legend with classic chrome styling and modern touring performance.





Street Glide

The original stripped-down hot-rod bagger.

Street Glide * Special

A factory-custom bagger with highway-shredding power, in a blacked-out or chrome finish.



Ultra Limited

Premium touring performance with zero compromises to the ride.

Electra Glide [®] Standard

Everything you need for a lifetime of cross-country adventure with room to make it your own.





INTRODUCING the 2022

Cruiser Lineup

Authentic heritage meets modern technology for power, style, and the unadulterated riding experience – around town or along country roads.

*Fat Bob * 114 shown with H-D * Genuine Motor Parts & Accessories



Low Rider [®] S

An aggressive performance kingpin designed for the rider willing to push it to the limit. The Milwaukee-Eight * 117 powertrain gives this motorcycle owner instant bragging rights. Straight from the factory, this bike bundles big attitude and unrelenting performance.

Softail[®] Standard

 $Raw, stripped-down\ bobber\ style.\ A\ blank\ canvas\ for\ customization.\ Comes\ with\ Annihilator\ cast\ aluminum\ wheels\ with\ silver\ finish.$



Street Bob * 114

A gritty, stripped-down bobber cloaked in red. A perfect performance base for personalization.

Forty-Eight *

Heavy-hitting fat tire style with an iconic peanut tank and bulldog stance.



Fat Bob * 114

A street-eater with an appetite for power. Built with muscular style and performance.


Iron 883

Blacked-out and stripped down with a legendary profile.



Sportster ° S

Designed to deliver a riding experience rooted in the thrill of unleashing extraordinary power in the act of dynamic acceleration, tempered by invisible technology. Stop light to stop light, corner to corner — on-demand torque produces an unrelenting, exhilarating blast of thrust and adrenaline.



INTRODUCING the 2022

Adventure Touring Lineup

Where touring becomes detouring, and everything is a road.

Pan America [™] 1250 shown with H-D ^{} Genuine Motor Parts & Accessories



Pan America [™] 1250

Pan America [™] 1250 Special

We're calling it Special for good reason. The Pan America™ 1250 Special is loaded with premium features including an aluminum skid plate, brush guards, steering damper, no-tool-needed adjustable brake pedal, and semi-active front and rear suspension.



INTRODUCING the 2022

Trike Lineup

Roll with confidence, comfort, and head-turning custom style on three wheels.

CVO [™] Tri Glide [®]

A super premium trike that screams "ultimate 3-wheeler," the CVO™ Tri Glide " model delivers distinctive style, powerful performance, and long-haul touring capability plus the added confidence of a third wheel. This bike is loaded with premium audio, luxurious comfort features, and astounding finish and attention to detail on a chassis designed from the wheels up as a trike. Exactly as you'd expect from the world's most desirable motorcycle brand.



Tri Glide [®] Ultra

A long-haul touring trike that calls you to go the distance with all the torque, style, premium infotainment and cargo space three wheels can hold. The ultimate in two-up comfort for adventurers who show no sign of stopping.

Freewheeler

Hot-rod attitude on three wheels with mini ape hangers, bobtail fenders, chrome Hiawatha headlamp, Enforcer wheels, and slash cut pipes on a smooth, easy handling frame that keeps adventure coming your way.



Seat Height, Unladen (*Cert) (XX.X in) (XXX mm)	28 in. (710 mm)	28.1 in. (715 mm)	28.3 in. (720 mm)	26.8 in. (680 mm)	29.9 in. (760 mm)	27.2 in. (690 mm)	28.9 in. (735 mm)	27.4 in. (695 mm)	27.4 in. (695 mm)
Fuel Capacity (X.X gal) (XX.X mm)	6 gal. (22.7 l)	6 gal. (22.7 l)	5 gal. (18.9 l)	6 gal. (22.7 l)	6 gal. (22.7 l)	6 gal. (22.7 l)	6 gal. (22.7 l)	6 gal. (22.7 l)	6 gal. (22.7 l)
Weight, As Shipped (*Cert) (XXXX lb) (XXX kg)	778 lb. (353 kg)	806 lb. (366 kg)	694 lb. (315 kg)	860 lb. (390 kg)	927 lb. (420 kg)	831 lb. (377 kg)	897 lb. (407 kg)	818 lb. (371 kg)	820 lb. (372 kg)
Weight, In Running Order (*Cert) (XXXX lb) (XXX kg)	814 lb. (369 kg)	842 lb. (382 kg)	721 lb. (327 kg)	893 lb. (405 kg)	963 lb. (437 kg)	866 lb. (393 kg)	932 lb. (423 kg)	853 lb. (387 kg)	855 lb. (388 kg)
	Milwaukee-Eight * 117	Milwaukee-Eight * 117	Milwaukee-Eight * 117	Milwaukee-Eight * 117	Twin-Cooled ** Milwaukee-Eight ** 117	Milwaukee-Eight * 117	Twin-Cooled ** Milwaukee-Eight ** 114	Milwaukee-Eight * 114	Milwaukee-Eight * 107
	117 cu in (1,923 cc) Belt, 32/68 ratio	117 cu in (1,923 cc) Belt, 32/68 ratio	117 cu in (1,923 cc) Belt, 32/66 ratio	117 cu in (1,923 cc) Belt, 32/68 ratio	117 cu in (1,923 cc) Belt, 32/68 ratio	117 cu in (1,923 cc)	114 cu in (1,868 cc)	114 cu in (1,868 cc)	107 cu in (1,746 cc) Belt, 32/68 ratio
	6-Speed Cruise Drive *	6-Speed Cruise Drive *	6-Speed Cruise Drive *	6-Speed Cruise Drive *	6-Speed Cruise Drive *	Belt, 32/68 ratio 6-Speed Cruise Drive *	Belt, 32/68 ratio 6-Speed Cruise Drive *	Belt, 32/68 ratio 6-Speed Cruise Drive *	6-Speed Cruise Drive *
	Bronze Prodigy	Bronze Prodigy	Dark bronze, Radiate cast aluminum wheel	Gloss Black & Contrast Chrome Combo	Gloss Black & Contrast Chrome Tomahawk	Gloss Black & Contrast Chrome Fugitive	Slicer II cast aluminum with clear coat	6-speed Cruise Drive Gloss Black Prodigy	6-speed Cruise Drive Enforcer II Cast Aluminum
	19 in. (483 mm)	•	19 in. (483 mm)	21 in. (533 mm)	19 in. (483 mm)	19 in. (483 mm)	18 in. (457 mm)	19 in. (483 mm)	19 in. (483 mm)
	Bronze Prodigy	19 in. (483 mm)	Dark bronze. Radiate cast aluminum wheel	Gloss Black & Contrast Chrome Combo	Gloss Black & Contrast Chrome Tomahawk		Slicer II cast aluminum with clear coat		Enforcer II Cast Aluminum
	18 in. (457 mm)	Bronze Prodigy	,	18 in. (457 mm)	18 in. (457 mm)	Gloss Black & Contrast Chrome Fugitive 18 in. (457 mm)	18 in. (457 mm)	Gloss Black Prodigy 18 in. (457 mm)	18 in. (457 mm)
	4.6 in. (437 mm)	18 in. (457 mm)	16 in. (406 mm)	3.6 in. (91 mm)					
		4.6 in. (117 mm)	5.1 in. (130 mm)		4.6 in. (117 mm)	4.6 in. (117 mm)	4.6 in. (117 mm)	4.6 in. (117 mm)	4.6 in. (117 mm)
	3 in. (76 mm)	3 in. (76 mm)	4.4 in. (112 mm)	2.1 in. (54 mm)	3 in. (76 mm)	2.1 in. (54 mm)	3 in. (76 mm)	2.1 in. (54 mm)	2.1 in. (54 mm)
7, 7, 7, 7, 7	106 HP / 79 kW @ 4750 rpm	106 HP / 79 kW @ 4750 rpm	103 HP / 77 kW @ 4750 rpm	106 HP / 79 kW @ 4750 rpm	105 HP / 78 kW @ 4850 rpm	106 HP / 79 kW @ 4750 rpm	93 HP / 69 kW @ 5020 rpm	97 HP / 72 kW @ 5020 rpm	93 HP / 69 kW @ 5020 rpm
	USB/MTP/iPod/iPhone	USB/MTP/iPod/iPhone	USB A-type; output 5V at 2.4A	USB/MTP/iPod/iPhone	USB/MTP/iPod/iPhone	USB/MTP/iPod/iPhone	USB/MTP/iPod/iPhone	USB/MTP/iPod/iPhone	USB/MTP/iPod/iPhone
	Vivid Black Gunship Gray	Vivid Black Gunship Gray	Vivid Black Gunship Gray	Envious Green Fade Wicked Orange Pearl	Dante's Red Fade Hightail Yellow Pearl	Envious Green Fade Blue Steel	Chrome: Vivid Black, Mineral Green Metallic, Gauntlet Gray Metallic/Vivid Black	Chrome: Vivid Black, Black Denim, Gunship Gray, White Sand Pearl, Reef Blue/Vivid Black	Vivid Black Reef Blue
		,	, ,	Blue Steel	Wicked Orange Pearl	Hightail Yellow Pearl	Black: Vivid Black, Gunship Gray	Black: Vivid Black, Gunship Gray, Redline Red,	White Sand Pearl
							Reef Blue/Vivid Black	White Sand Pearl, Reef Blue/Vivid Black	
ABS	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
CDECIFICATIONS	DOAD KINC * CDECIAL	DOVD KINIC *	CTREET CLIDE *	CTREET CLIDE CRECIAL	LIITDALIMITED	ELECTRA CLIDE CTANDARD	LOW DIDED * C	COLLY CLAVIDADD	CTREET BOD \$ 11.4
SPECIFICATIONS	ROAD KING * SPECIAL	ROAD KING *	STREET GLIDE *	STREET GLIDE SPECIAL	ULTRA LIMITED	ELECTRA GLIDE * STANDARD	LOW RIDER S	SOFTAIL * STANDARD	STREET BOB * 114
Seat Height, Unladen (*Cert) (XX.X in) (XXX mm)	27.4 in. (695 mm)	27.8 in. (705 mm)	27.4 in. (695 mm)	27.2 in. (690 mm)	29.1 in. (740 mm)	26.8 in. (680 mm)	28 in. (710 mm)	26.8 in. (680 mm)	26.8 in. (680 mm)
Fuel Capacity (X.X gal) (XX.X mm)	6 gal. (22.7 l)	6 gal. (22.7 l)	6 gal. (22.7 l)	6 gal. (22.7 l)	6 gal. (22.7 l)	6 gal. (22.7 l)	5 gal. (18.9 l)	3.5 gal. (13.2 l)	3.5 gal. (13.2 l)
Weight, As Shipped (*Cert) (XXXX Ib) (XXX kg)	774 lb. (351 kg)	794 lb. (360 kg)	796 lb. (361 kg)	792 lb. (359 kg)	880 lb. (399 kg)	781 lb. (354 kg)	650 lb. (295 kg)	642 lb. (291 kg)	631 lb. (286 kg)
Weight, In Running Order (*Cert) (XXXX lb) (XXX kg)	807 lb. (366 kg)	828 lb. (375 kg)	829 lb. (376 kg)	827 lb. (375 kg)	917 lb. (416 kg)	820 lb. (372 kg)	679 lb. (308 kg)	655 lb. (297 kg)	655 lb. (297 kg)
	Milwaukee-Eight * 114 114 cu in (1,868 cc)	Milwaukee-Eight * 107 107 cu in (1,746 cc)	Milwaukee-Eight * 107 107 cu in (1,746 cc)	Milwaukee-Eight * 114 114 cu in (1,868 cc)	Twin-Cooled ** Milwaukee-Eight ** 114 114 cu in (1,868 cc)	Milwaukee-Eight * 107 107 cu in (1,746 cc)	Milwaukee-Eight * 117 117 cu in (1,923 cc)	Milwaukee-Eight * 107 107 cu in (1,746 cc)	Milwaukee-Eight * 114 114 cu in (1,868 cc)
Final Drive (*Cert)	Belt, 32/68 ratio	Belt, 32/68 ratio	Belt, 32/68 ratio	Belt, 32/68 ratio	Belt, 32/68 ratio	Belt, 32/68 ratio	Belt, 32/66 ratio	Belt, 32/66 ratio	Belt, 32/66 ratio
Transmission	6-Speed Cruise Drive *	6-Speed Cruise Drive *	6-Speed Cruise Drive *	6-Speed Cruise Drive *	6-Speed Cruise Drive *	6-Speed Cruise Drive *	6-Speed Cruise Drive *	6-Speed Cruise Drive *	6-Speed Cruise Drive *
Wheels, Front Type	Gloss Black Prodigy	Slicer II Cast Aluminum	Enforcer II Cast Aluminum	Gloss Black Prodigy	Slicer II cast aluminum with clear coat	Impeller Cast Aluminum	Dark bronze, Radiate cast aluminum wheel	Silver, Annihilator cast aluminum	Black, Annihilator cast aluminum
Wheels, Front Height (XX in) (XXX mm)	19 in. (483 mm)	18 in. (457 mm)	19 in. (483 mm)	19 in. (483 mm)	18 in. (457 mm)	17 in. (432 mm)	19 in. (483 mm)	19 in. (483 mm)	19 in. (483 mm)
Wheels, Rear Type	Gloss Black Prodigy	Slicer II Cast Aluminum	Enforcer II Cast Aluminum	Gloss Black Prodigy	Slicer II cast aluminum with clear coat	Impeller Cast Aluminum	Dark bronze, Radiate cast aluminum wheel	Silver, Annihilator cast aluminum	Black, Annihilator cast aluminum
Wheels, Rear Height (XX in) (XXX mm)	18 in. (457 mm)	18 in. (457 mm)	18 in. (457 mm)	18 in. (457 mm)	18 in. (457 mm)	16 in. (406 mm)	16 in. (406 mm)	16 in. (406 mm)	16 in. (406 mm)
Suspension Travel, Front (X.X in) (XXX mm)	4.6 in. (117 mm)	4.6 in. (117 mm)	4.6 in. (117 mm)	4.6 in. (117 mm)	4.6 in. (117 mm)	4.6 in. (117 mm)	5.1 in. (130 mm)	5.1 in. (130 mm)	5.1 in. (130 mm)
Suspension Travel, Rear (X.X in) (XXX mm)	2.1 in. (54 mm)	3 in. (76 mm)	2.1 in. (54 mm)	2.1 in. (54 mm)	3 in. (76 mm)	2.15 in. (55 mm)	4.4 in. (112 mm)	3.4 in. (86 mm)	3.4 in. (86 mm)
Power (Hp/kW) (*Cert)	97 HP / 72 kW @ 5020 rpm	93 HP / 69 kW @ 5020 rpm	93 HP / 69 kW @ 5020 rpm	97 HP / 72 kW @ 5020 rpm	93 HP / 69 kW @ 5020 rpm	93 HP / 69 kW @ 5020 rpm	103 HP / 77 kW @ 4750 rpm	87 HP / 65 kW @ 5020 rpm	94 HP / 70 kW @ 4750 rpm
	N/A	N/A	USB/MTP/iPod/iPhone	USB/MTP/iPod/iPhone	USB/MTP/iPod/iPhone	N/A	USB A-type; output 5V at 2.4A	N/A	USB A-type; output 5V at 2.4A
	Vivid Black Midnight Crimson Mineral Green Denim	Vivid Black Midnight Crimson Gauntlet Gray Metallic/Vivid Black	Vivid Black Midnight Crimson White Sand Pearl	Chrome: Vivid Black, Black Denim, Gunship Gray, White Sand Pearl, Midnight Crimson/ Vivid Black - Black: Vivid Black, Gunship Gray, Redline Red, White Sand Pearl, Midnight Crimson/Vivid Black	Chrome: Vivid Black, Gauntlet Gray Metallic, Midnight Crimson/Vivid Black, Reef Blue/ Vivid Black Black: Vivid Black, Gunship Gray, Midnight Crimson/Vivid Black, Reef Blue/Vivid Black	Vivid Black	Vivid Black Gunship Gray	Vivid Black	Vivid Black Gauntlet Gray Metallic Redline Red Fastback Blue
ABS	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Optional	Optional 45
									45

CVO ™ ROAD GLIDE LIMITED

CVO ™ STREET GLIDE °

ROAD GLIDE * LIMITED

ROAD GLIDE * SPECIAL

ROAD GLIDE *

SPECIFICATIONS

STREET GLIDE ST

ROAD GLIDE * ST

LOW RIDER * ST

CVO ™ ROAD GLIDE *

SPECIFICATIONS	FORTY-EIGHT	HERITAGE CLASSIC 114	FAT BOB * 114	IRON 883 [™]	FAT BOY * 114	SPORTSTER * S	PAN AMERICA [™] 1250	PAN AMERICA [™] 1250 SPECIAL	CVO ™ TRI GLIDE °
Seat Height, Unladen (*Cert) (XX.X in) (XXX mm)	28 in. (710 mm)	26.8 in. (680 mm)	28 in. (710 mm)	29.9 in. (760 mm)	26.6 in. (675 mm)	30.1 in. (765 mm)	33.4 in. (850 mm) Low Seat Position 34.4 in. (875 mm) High Seat Position	33.4 in. (850 mm) Low Seat Position 34.4 in. (875 mm) High Seat Position	28.1 in. (715 mm)
Fuel Capacity (X.X gal) (XX.X mm)	2.1 gal. (7.9 l)	5 gal. (18.9 l)	3.5 gal. (13.2 l)	3.3 gal. (12.5 l)	5 gal. (18.9 l)	3.1 gal. (11.8 l)	5.6 gal. (21.2 l)	5.6 gal. (21.2 l)	6 gal. (22.7 l)
Weight, As Shipped (*Cert) (XXXX lb) (XXX kg)	545 lb. (247 kg)	697 lb. (316 kg)	653 lb. (296 kg)	545 lb. (247 kg)	671 lb. (304 kg)	487 lb. (221 kg)	505 lb. (229 kg)	534 lb. (242 kg)	1,239 lb. (563 kg)
Weight, In Running Order (*Cert) (XXXX lb) (XXX kg)	556 lb. (252 kg)	728 lb. (330 kg)	675 lb. (306 kg)	564 lb. (256 kg)	699 lb. (317 kg)	502 lb. (228 kg)	540 lb. (245 kg)	569 lb. (258 kg)	1,269 lb. (577 kg)
Engine Displacement (*Cert) (XXX.X cu in) (X,XXX cc)	Air-cooled, Evolution * 73.2 cu in (1,200 cc)	Milwaukee-Eight * 114 114 cu in (1,868 cc)	Milwaukee-Eight * 114 114 cu in (1,868 cc)	Air-cooled, Evolution * 53.9 cu in (883 cc)	Milwaukee-Eight * 114 114 cu in (1,868 cc)	Revolution * Max 1250T 76.4 cu in (1,252 cc)	Revolution * Max 1250 76.4 cu in (1,252 cc)	Revolution * Max 1250 76.4 cu in (1,252 cc)	Twin-Cooled "Milwaukee-Eight 117 117 cu in (1,923 cc)
Final Drive (*Cert)	Belt, 29/68 ratio	Belt, 32/66 ratio	Belt, 32/66 ratio	Belt, 29/68 ratio	Belt, 32/66 ratio	Belt, 34/80 ratio	Chain, 19/48 ratio	Chain, 19/48 ratio	Belt, 30/70 ratio
Transmission	5-speed	6-Speed Cruise Drive *	6-Speed Cruise Drive *	5-speed	6-Speed Cruise Drive *	6-speed	6-Speed	6-Speed	6 Speed Cruise Drive
Wheels, Front Type	Black, Split 9-Spoke Cast Aluminum w/ Machined Highlights	Gloss black, 9-spoke cast aluminum	Denim black, Structure cast aluminum with laser etched graphics	Black 9 Spoke with Machined Highlights	Machined, Lakester cast aluminum	Aluminum cast, satin black	Aluminum cast, satin black	Aluminum cast, satin black	Gloss Black & Contrast Clear Tomahawk
Wheels, Front Height (XX in) (XXX mm)	16 in. (406 mm)	16 in. (406 mm)	16 in. (406 mm)	19 in. (483 mm)	18 in. (457 mm)	17 in. (432 mm)	19 in. (483 mm)	19 in. (483 mm)	19 in. (483 mm)
Wheels, Rear Type	Black, Split 9-Spoke Cast Aluminum w/ Machined Highlights	Gloss black, 9-spoke cast aluminum	Denim black, Structure cast aluminum with laser etched graphics	Black 9 Spoke with Machined Highlights	Machined, Lakester cast aluminum	Aluminum cast, satin black	Aluminum cast, satin black	Aluminum cast, satin black	Gloss Black & Contrast Clear Tomahawk
Wheels, Rear Height (XX in) (XXX mm)	16 in. (406 mm)	16 in. (406 mm)	16 in. (406 mm)	16 in. (406 mm)	18 in. (457 mm)	16 in. (406 mm)	17 in. (432 mm)	17 in. (432 mm)	18 in. (457 mm)
Suspension Travel, Front (X.X in) (XXX mm)	3.6 in. (91 mm)	5.1 in. (130 mm)	5.1 in. (130 mm)	3.6 in. (92 mm)	5.1 in. (130 mm)	3.6 in. (92 mm)	7.5 in. (191 mm)	7.5 in. (191 mm)	4.6 in. (117 mm)
Suspension Travel, Rear (X.X in) (XXX mm)	1.6 in. (41 mm)	4.4 in. (112 mm)	4.4 in. (112 mm)	1.6 in. (41 mm)	3.4 in. (86 mm)	2 in. (51 mm)	7.5 in. (191 mm)	7.5 in. (191 mm)	3 in. (76 mm)
Power (Hp/kW) (*Cert)	66 HP / 49 kW @ 5500 rpm	94 HP / 70 kW @ 4750 rpm	95 HP / 71 kW @ 4750 rpm	54 HP / 40 kW @ 6000 rpm	94 HP / 70 kW @ 4750 rpm	121 HP / 90 kW @ 7500 rpm	150 HP / 112 kW @ 9000 rpm	150 HP / 112 kW @ 9000 rpm	107 HP / 80 kW @ 4750 rpm
USB	N/A	USB A-type; output 5V at 2.4A	USB A-type; output 5V at 2.4A	N/A	USB A-type; output 5V at 2.4A	Charging & Instrument update, USB-C, 5V, 3A	Charging & Instrument update, USB-C, 5V, 2.4A	Charging & Instrument update, USB-C, 5V, 2.4A	USB/MTP/iPod/iPhone
Colors	Vivid Black Reef Blue White Sand Pearl	Chrome: Vivid Black, Midnight Crimson, Reef Blue/Vivid Black	Vivid Black White Sand Pearl	Black Denim Gunship Gray White Sand Pearl	Vivid Black Reef Blue	Vivid Black White Sand Pearl	Vivid Black	Vivid Black Gauntlet Gray Metallic Fastback Blue/White Sand	Dante's Red Fade
	white Sand Pearl	Black: Vivid Black, White Sand Pearl, Redline Red/Vivid Black, Reef Blue/Vivid Black		white Sand Pearl	Midnight Crimson/Vivid Black	Mineral Green Metallic		Fastback Blue/ White Sand	
ABS	Optional	Standard	Standard	Optional	Standard	Standard	Standard	Standard	Standard

SPECIFICATIONS	TRI GLIDE * ULTRA	FREEWHEELER *		
Seat Height, Unladen (*Cert) (XX.X in) (XXX mm)	28.9 in. (735 mm)	27.6 in. (700 mm)		
Fuel Capacity (X.X gal) (XX.X mm)	6 gal. (22.7 l)	6 gal. (22.7 l)		
Weight, As Shipped (*Cert) (XXXX lb) (XXX kg)	1,204 lb. (546 kg)	1,085 lb. (492 kg)		
Weight, In Running Order (*Cert) (XXXX lb) (XXX kg)	1,243 lb. (564 kg)	1,118 lb. (507 kg)		
Engine Displacement (*Cert) (XXX.X cu in) (X,XXX cc)	Twin-Cooled ** Milwaukee-Eight ** 114 114 cu in (1,868 cc)	Milwaukee-Eight * 114 114 cu in (1,868 cc)		
Final Drive (*Cert)	Belt, 30/70 ratio	Belt, 30/70 ratio		
Transmission	6-Speed Cruise Drive	6-Speed Cruise Drive		
Wheels, Front Type	Black, 7-spoke Cast Aluminum	Enforcer Cast Aluminum		
Wheels, Front Height (XX in) (XXX mm)	16 in. (406 mm)	19 in. (483 mm)		
Wheels, Rear Type	Black, 7-spoke Cast Aluminum	Enforcer Cast Aluminum		
Wheels, Rear Height (XX in) (XXX mm)	15 in. (381 mm)	15 in. (381 mm)		
Suspension Travel, Front (X.X in) (XXX mm)	4.6 in. (117 mm)	4.6 in. (117 mm)		
Suspension Travel, Rear (X.X in) (XXX mm)	3 in. (76 mm)	3 in. (76 mm)		
Power (Hp/kW) (*Cert)	93 HP / 69 kW @ 5020 rpm	93 HP / 69 kW @ 4750 rpm		
USB	USB/MTP/iPod/iPhone	N/A		
Colors	Vivid Black Gauntlet Gray Metallic/Vivid Black Midnight Crimson/Vivid Black	Vivid Black Midnight Crimson/Vivid Black Reef Blue		
ABS	Standard	Standard		

IMPORTANT - PLEASE READ: The information printed in this brochure reflects product design, fabrication and component parts at the date of printing. 1 Vehicles depicted may differ from vehicles manufactured and delivered. Specifications and prices listed may differ from specifications and prices of vehicles manufactured and delivered. All product descriptions (including depictions, specifications, dimensions, measurements, ratings and competitive comparisons) are based on the information available at the time of publication. Although such descriptions are believed correct, errors and changes can occur and complete accuracy cannot be guaranteed. Harley-Davidson may make changes and at any time to prices and specifications and may change or discontinue models without notice and without incurring any obligation. Attention: Vehicles in the configurations shown and many of the accessories described in this catalog may not be available for sale or use in some locations. Please check with your dealer for complete product details and the latest information. All models feature 6-speed transmission (Sportster® models are 5-speed) and carbon fiber belt final drive; multiplate clutch with diaphragm spring in oil bath; and two-year, unlimited mileage warranty. 2 Measurement reflects 180 lb. (81.7 kg) operator weight. 3 The combined fuel economy numbers were derived using a combination of estimated city and highway values. Fuel economy estimates are derived from US EPA exhaust emission certification data on a sample motorcycle from the corresponding family under ideal laboratory conditions. Your actual fuel economy will vary depending on your personal riding habits, road and driving conditions, vehicle condition and maintenance, tire pressure, vehicle configuration (parts and accessories), and vehicle loading (cargo, rider and passenger weight). Break-in mileage may vary.



THERE IS NOTHING STOPPING YOU. OUR DEALERSHIP IS READY TO SHOW YOU ALL THE NEW 2022 MOTORCYCLES.

GET HERE TODAY AND SEE FOR YOURSELF!



HARLEY-DAVIDSON OF ERIE 3712 WEST 12TH ST. ERIE, PA 16505 814-838-1356 HDERIE.com



Selection varies by dealership. Prices listed are generally the Manufacturer's Suggested Retail Price (MSRP), excluding taxes and shipping, and are subject to change without notice. Prices at local dealerships may vary. All online orders will be fulfilled and shipped by Harley-Davidson Motor Company as the agent for the Selling Dealer. All taxes are extra. Harley-Davidson reserves the right without prior notice to discontinue at any time any of the items herein or change specifications or designs without incurring any obligation to the customer. All items are subject to availability and prior sale by our dealers. ©2022 H-D or its affiliates. HARLEY-DAVIDSON, HARLEY, H-D, MotorClothes and the Bar and Shield Logo are among the trademarks of H-D U.S.A., LLC. Third party trademarks are the property of their respective owners.